





















15.6" Full HD PCAP 10pt touchscreen monitor with IPS panel technology, integrated media player and a hinged stand on the back

With 1920x1080 Full HD resolution and Projective Capacitive 10 point touch technology, the ProLite T1624MSC delivers seamless and accurate touch response. Featuring IPS Panel technology, it offers exceptional colour performance and wide viewing angles, making it an excellent choice for a vast array of demanding interactive applications. Users can benefit from its hinged stand allowing the monitor to lay down completely flat for use as a tablet. The T1624MSC comes equipped with several inputs and a SD card slot, as well as stereo speakers delivering good quality sound. An ideal screen for small interactive Digital Signage, InStore Retail and interactive presentations purposes.



Touch technology - Capacitive

This technology uses a sensor-grid of micro-fine wires integrated into the glass that covers the screen. Touch is detected because electrical characteristics of the sensor grid change when human finger is placed on the glass. Thanks to the glass overlay this technology is highly durable, and the touch function remains unaffected even if the glass is scratched. It offers perfect picture performance and will work with human finger (also latex gloved) and stylus-pen.



Media player

Play your favourite music and show your most beautiful videos, photos and images directly on screen from a flash drive or internal memory with the built-in media player.

DISPLAY CHARACTERISTICS

Design	Edge to edge glass
Diagonal	15.6", 39.5cm
Panel	IPS Panel Technology, LED
Native resolution	1920 x 1080 (2.1 megapixel HD)
Aspect ratio	16:9
Panel brightness	450 cd/m ²
Brightness	385 cd/m² with touch
Light transmittance	85%
Static contrast	800:1 with touch
Response time (GTG)	25ms
Viewing zone	horizontal/vertical: 170°/170°, right/left: 85°/85°, up/down: 85°/85°
Colour support	16.7mln 8bit
Horizontal Sync	30 84.kHz
Viewable area W x H	344.16 x 193.59mm, 13.5 x 7.6"
Pixel pitch	0.17925mm
Bezel colour and finish	black, matte



Touch technology	projective capacitive
Touch points	10
Touch method	finger, glove (latex), capacitive stylus
Touch interface	USB



INTERFACES / CONNECTORS / CONTROLS

Digital signal input	HDMI x1
Audio input	Mini jack x1
Audio output	Speakers 2 x 2W
USB ports	x2 (2.0)



04 FEATURES

Extra	media player, SD card slot
Max. non-stop operating time	24/7
Glass thickness	1.8mm
Glass hardness	6H
OSD key lock	yes



GENERAL

	Power/Input select, navigation button (up, down, left, right, play/enter, pause), menu/exit
s	Photo, music, video, calendar, settings (OSD language, auto play, repeat mode, slideshow time, time, display mode, brightness, contrast, saturation, auto power, restore factory mode)



Orientation	landscape, portrait, face-up
VESA mounting	100 v 100mm

07

ACCESSORIES INCLUDED

Cables	USB, HDMI
Guides	quick start guide, safety guide
Other	AC adapter

08 POWER MANAGEMENT

Power supply unit	external
Power supply	DC 12 V
Power usage	7W typical, 0.5W stand by, 0.1W off mode


09 SUSTAINABILITY

Regulations	CE, RoHS support, ErP, WEEE, REACH, UKCA
Energy efficiency class (Regulation (EU) 2017/1369)	E
2017/1309)	

REACH SVHC above 0.1%: Lead

10 DIMENSIONS / WEIGHT

Product dimensions W x H x D	388 x 245 x 159.5mm
Weight (without box)	2.6kg
EAN code	4948570120451



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED